Attorney Docket No. PRD-0032-USPCT1 Page 2 of 12

Application No.: 10/528,928 Reply to Office Action Dated: January 8, 2008

I. AMENDMENTS

Amendments to the Claims:

Please replace all prior listing of claims with the following listing:

- 1. Canceled.
- 2. (Currently Amended) A monoclonal antibody which specifically recognizes Aβ11-x peptides, wherein said monoclonal antibody specifically recognizes the first 5 to 7 human amino acids of the β-secretase_11 cleavage site, i.e. Seq Id No.:1 and Seq Id No.:2 or the first 5 to 7 mouse amino acids of the β-secretase_11 cleavage site, i.e. Seq Id No.:3 and Seq Id No.:4, without cross-reacting with full length Aβ1-40/42 peptide, as immunogens.
- 3. (Currently Amended) <u>The monoclonal</u> An antibody as claimed in claim <u>2</u>4 that is detectably labeled.
- 4. (Currently Amended) <u>The monoclonal An</u> antibody as claimed in claim 3 wherein the detectable label is a radiolabel, an enzyme label, a luminescent label or a fluorescent label.
- 5. (Currently Amended) The monoclonal An antibody as claimed in claim 24 that is immobilized on a carrier.
- (Currently Amended) TheA monoclonal antibody according to claim 24, expressed by the hybridoma cells J&JPRD/hAβ11/1 and J&JPRD/hAβ11/2 deposited at the Belgian coordinated collection of microorganisms on August 19, 2002 with accession numbers LMBP 5896CB and LMBP 5897CB respectively.

Attorney Docket No. PRD-0032-USPCT1 Page 3 of 12

Application No.: 10/528,928 Reply to Office Action Dated: January 8, 2008

 (Previously Presented) The hybridoma cells J&JPRD/hAβ11/1 and J&JPRD/hAβ11/2 deposited at the Belgian coordinated collection of microorganisms on August 19, 2002 with accession numbers LMBP 5896CB and LMBP 5897CB respectively.

- 8. (Currently Amended) An immunoassay method for the determination or detection of A β 11-x peptides in a sample, the method comprising contacting the sample with an antibody to A β 11-x peptides as claimed in claim $\underline{2}$ 4 and determining whether an immune complex is formed between the antibody and the A β 11-x peptide.
- (Currently Amended) A method for the detection of the presence of Aβ11-x peptides in a tissue sample, the method comprising:

obtaining a tissue sample from the body of a subject;

contacting the tissue sample with an imaging effective amount of thea detectably labeled antibody as claimed in claim 3; and

detecting the label to establish the presence of A β 11-x peptides in the tissue sample.

10. (Previously Presented) A method for the detection of the presence of $A\beta 11-x$ peptides in a tissue sample, the method comprising:

obtaining a tissue sample from the body of a subject;

contacting the tissue sample with an imaging effective amount of a detectably labeled, monoclonal antibody which specifically recognizes A β 11-x peptides; and detecting the label to establish the presence of A β 11-x peptides in the tissue sample;

wherein the antibody that is detectably labeled, is expressed by at least one of the hybridoma cells as claimed in claim 7.

Attorney Docket No. PRD-0032-USPCT1
Page 4 of 12

Application No.: 10/528,928 Reply to Office Action Dated: January 8, 2008

11. (Currently Amended) A method for the detection of the presence of $A\beta 11-x$ peptides in a body fluid sample, the method comprising:

obtaining a body fluid sample from the body of a subject;

contacting the body fluid sample with an imaging effective amount of thea detectably labeled antibody as claimed in claim 3; and

detecting the label to establish the presence of A β 11-x peptides in the body fluid sample.

- 12. Canceled.
- 13. Canceled.
- 14. (Currently Amended) A method for the diagnosis of diseases associated with production of β-amyloid peptides wherein said disease is selected from the group consisting of clinical or pre-clinical Alzheimer's disease, Down's syndrome, HCHWA-D or cerebral amyloid angiopathy, comprising a step of employing an antibody as claimed in claim 1 to detect a presence of an Aβ11 x peptide in a sample

obtaining a sample from a subject in need of said diagnosis;

contacting the sample with an effective amount of the detectably labeled antibody as claimed in claim 3; and

detecting the label to determine the presence of A β 11-x peptides in the tissue sample,

wherein a presence of $A\beta 11$ -x peptides in the sample indicates the presence of said disease.

Application No.: 10/528,928 Attorney Docket No. PRD-0032-USPCT1
Reply to Office Action Dated: January 8, 2008 Page 5 of 12

15. (Currently Amended) A diagnostic composition comprising thean antibody as claimed in claim 24 and a pharmaceutically acceptable carrier.

16. (Currently Amended) An immunoassay kit for the diagnosis of diseases a disease associated with production of β-amyloid peptides, comprising thean antibody as claimed in claim 2 and support for the antibody, wherein said disease is selected from the group consisting of clinical or pre-clinical Alzheimer's disease, Down's syndrome, HCHWA-D or cerebral amyloid angiopathy.